

## DH-IPC-C35

---

### 3MP HD C series Wi-Fi Camera



#### Features

- 1/3" 3Megapixel CMOS
- H.264/MJPEG dual-encoding
- Max 20fps@3MP(2304×1296)&25/30fps@1080P(1920×1080)
- IR 10m
- 120° horizontal view angle
- Easy4ip cloud support
- Wi-Fi support
- Micro SD card, up to 128GB
- Built-in Mic & Speaker
- DC5V1A

# DH-IPC-C35

## Technical Specifications


<b>Model</b>	<b>DH-IPC-C35</b>	
<b>Camera</b>		
Image Sensor	1/3" 3Megapixel CMOS	
Effective Pixels	2304(H)x1536(V)	
Scanning System	Progressive	
Electronic Shutter Speed	Auto/Manual, 1/3(4)~1/100000	
Min. Illumination	0.9lux/F1.2(color),0lux/F1.2(IR on)	
S/N Ratio	More than 50dB	
Video Output	N/A	
<b>Camera Features</b>		
Max. LEDs Length	10m	
Day/Night	Auto(ICR) / Color / B/W	
Backlight Compensation	BLC / HLC / DWDR	
White Balance	Auto/Manual	
Gain Control	Auto/Manual	
Noise Reduction	3D	
<b>Lens</b>		
Focal Length	2.3mm	
Max Aperture	F1.2	
Focus Control	Manual	
Angle of View	H: 120°	
Lens Type	Fixed Lens	
Mount Type	Board-in Type	
<b>Video</b>		
Compression	H.264/H.264B/H.264H/MJPEG	
Resolution	3MP(2304×1296)/1080P/720P/VGA/QVGA	
Frame Rate	Main Stream	3MP(1~20fps)/1080P/720P(1~30fps)
	Sub Stream	VGA/QVGA(1~30fps)
Bit Rate	H.264: 32Kbps~8Mbps	
<b>Audio</b>		
Compression	G.711A;G.711Mu;AAC	
Interface	Built-in Mic/Speaker	
<b>Network</b>		
Ethernet	NA	
Wi-Fi	Wi-Fi(IEEE802.11b/g/n) 50m(open field)	
Protocol	IPv4/IPv6, HTTP, TCP/IP, UDP, UPnP, ICMP, IGMP, SNMP, RTSP, RTP, SMTP, NTP, DHCP, DNS,FTP, QoS	
Compatibility	ONVIF CGI	
Max. User Access	20 users	
Smart Phone	iPhone, iPad, Android, Windows Phone	
<b>Auxiliary Interface</b>		

## DH-IPC-C35

Memory Slot	Micro SD, up to 128GB
RS485	N/A
Alarm	N/A
PIR Sensor Range	N/A
USB	Micro USB
<b>General</b>	
Power Supply	DC 5V
Power Consumption	<4.6W
Working Environment	-10°C~+45°C, Less than 95%RH
Ingress Protection	N/A
Vandal Resistance	N/A
Dimensions(W×D×H)	76mm*65mm*107mm
Weight	0.14Kg(0.36Kg with package)

# DH-IPC-C35

## Dimensions (mm)



---

### Dahua Technology Co., Ltd.

1187 BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuasecurity.com](http://www.dahuasecurity.com)

\*Design and specifications are subject to change without notice.

© 2016 Dahua Technology Co., Ltd.